# PATENT COOPERATION TREATY

# **PCT**

JAN 24 2005

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	FOR FURTHER ACTION		on of Transmittal of International	
310048-72895			xamination Report (Form PCT/IPEA/416)	
International application No.	International filing date (day/mon	nth/year)	Priority date (day/month/year)	
PCT/US03/25584	15 August 2003 (15.08.2003)		16 August 2002 (16,08.2002)	
International Patent Classification (IPC)	or national classification and IPC			
IPC(7): B32B 3/16; G09F 3/10 and US	Cl.: 4287/40.1; 283/81, 101			
Applicant				
AVERY DENNISON CORPORATION				
This international preliminary examination report has been prepared by this International Preliminary     Examining Authority and is transmitted to the applicant according to Article 36.				
2. This REPORT consists of	a total of 3 sheets, including	this cover shee	et.	
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).  These annexes consist of a total of sheets.				
3. This report contains indica	ations relating to the following	items:		
I Basis of the report  II Priority  III Non-establishment of report with regard to novelty, inventive step and industrial applicability				
IV Lack of unity of invention				
V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement				
VI Certain documents cited				
VII Certain defects in the international application				
VIII Certain observations on the international application				
Date of submission of the demand	Date	of completion	of this report	
12 M 1 2004 (12 02 2004)				
12 March 2004 (12.03.2004)		ovember 2004 (2-	4.11.2004)	
Name and mailing address of the IPEA/US  Mail Stop PCT, Atm: IPEA/US		rized officer		
Commissioner for Patents P.O. Box 1450  Michael C. Miggins			y	
Alexandria, Virginia 22313-1450 Facsimile No. (703) 305-3230 Telephone No. (571) 272-0987			272-0987	
Form PCT/IPEA/409 (cover sheet)(July 19	Form PCT/IPEA/409 (cover sheet)(July 1998)			

International application No.

PCT/US03/25584

I.	Basis of the opinion
1.	With regard to the elements of the international application:*
	the international application as originally filed the description:  pages 1-14, as originally filed pages NONE, filed with the demand pages NONE, filed with the letter of
	the claims:  pages 15-29 , as originally filed  pages NONE , as amended (together with any statement) under Article 19  pages NONE , filed with the demand  pages NONE , filed with the letter of
	the drawings:  pages 1-7 , as originally filed  pages NONE , filed with the demand  pages NONE , filed with the letter of .
	the sequence listing part of the description:  pages NONE
2.	With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.  These elements were available or furnished to this Authority in the following language which is
	the language of a translation furnished for the purposes of international search (under Rule23.1(b)).
	the language of publication of the international application (under Rule 48.3(b)).
	the language of the translation furnished for the purposes of international preliminary examination(under Rules 55.2 and/or 55.3).
3.	With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the written opinion was drawn on the basis of the sequence listing:
	contained in the international application in printed form.
	filed together with the international application in computer readable form.
	furnished subsequently to this Authority in written form.
	furnished subsequently to this Authority in computer readable form.
	The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.
	The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.
4.	The amendments have resulted in the cancellation of:
	the description, pages NONE
	the claims, Nos. NONE
	the drawings, sheets/fig NONE
5.	This opinion has been drawn as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).
	Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to s opinion as "originally filed."

International application No. PCT/US03/25584

V.	Reasoned statement under Rule 66.2(a)( citations and explanations supporting su		d to novelty, inventive step or indu	strial applicability;
1.	STATEMENT			
	Novelty (N)	Claims	5, 17 and 26-29	YES
		Claims	1-4, 6-16, and 18-25	NO
	Inventive Step (IS)	Claims	NONE	YES
		Claims	1-29	NO
	Industrial Applicability (IA)	Claims	1-29	YES
		Claims	NONE	NO
				<del>,</del>

# 2. CITATIONS AND EXPLANATIONS

Please See Continuation Sheet

International application No.

WRITTEN OPINION	PCT/US03/25584				
VIII. Certain observations on the international application					
The following observations on the clarity of the claims, description, and drawings or on the questions whether the claims are fully supported by the description, are made:					
Claim 13 is objected to under PCT Rule 66.2(a)(v) as lacking clarity under PCT Article 6 because claim is indefinite for the following reason(s): there is no antecedent basis for the phrase "the adhesive."					
	·				
•					
	·				

International application No. PCT/US03/25584

### Supplemental Box

(To be used when the space in any of the preceding boxes is not sufficient)

#### TIME LIMIT:

The time limit set for response to a Written Opinion may not be extended. 37 CFR 1.484(d). Any response received after the expiration of the time limit set in the Written Opinion will not be considered in preparing the International Preliminary Examination Report.

#### V. 2. Citations and Explanations:

Claims 1-3, 6-7, and 12 lack novelty over Aoyagi (#4,032,679).

Aoyagi discloses a multi-removable label construction comprising a face stock layer that is back with pressure sensitive adhesive, a cut patter in the face stock layer that defines a removable sub-label within the face stock layer, and a release liner member that backs and extends beyond the removable sub label, and that backs less than the entire area of the face stock layer. The face stock layer comprises adhesive coated paper and the removable sub-label comprises information printed thereon. The multi-removable label is provided on a sheet comprising a plurality of labels.

Claims 1-4, 6-16, and 18-25 lack novelty over Stipek, Jr. (#3,914,483).

Stipek, Jr. disclose a multi-removable label construction comprising a face stock layer that is backed with pressure sensitive adhesive (Col. 1, lines 51-54), a cut pattern in the face stock layer that defines a removable sub-label within the face stock layer (Col. 2, lines 1-3; Fig. 6, #33), a release liner member that backs and extends beyond the removable sub-label (Col. 1, lines 57-62; see Fig. 6, #25), and that backs less than the entire area of the face stock layer (Fig. 6, #25). The face stock layer comprises adhesive coated paper (Col. 1, lines 51-52) and the removable sub-label comprises information printed thereon (Col. 1, lines 10-13). The information may be mailing information (Col. 1, lines 10-13; Col. 2, lines 18-29; Col. 3, lines 13-17 - note that the Examiner has defined indicia of an "informative nature" to be inclusive of mailing information). The multi-removable label is provided on a sheet comprising a plurality of labels (Col. 1, line 46; Fig. 1).

Stipek, Jr. further discloses a multi-label sheet assembly comprising a first removable means for providing a first removable label and second removable means for providing at least one second removable label, wherein the at least on second removable label is formed by and within the first removable label (Fig. 6; Col. 2, lines 1-10 and 43-46). The first removable label means comprises adhesive coated paper (Col. 1, lines 51-54) and the second removable label means comprises information printed thereon (Col. 1, lines 10-13; Col. 2, lines 18-29; Col. 3, lines 13-17). The first removable label may comprise a return address removable label and the at least one second removable label may comprise a send address removable label (Col. 1, lines 10-13; Col. 2, lines 18-29; Col. 3, lines 13-17).

Stipek, Jr. further discloses a multi-removable label construction comprising a face stock layer that is backed with pressure sensitive adhesive, a first cut pattern in the face stock layer and an adhesive that defines an outer label, a second cut pattern in the face stock layer and the adhesive that defines at least one inner label within the outer label, a release liner member that backs and extends beyond the inner label, and that backs less than an entire area of the face stock layer and the adhesive (see Fig. 6). The face stock layer comprises adhesive coated paper (Col. 1, lines 51-54). The at least one inner label comprises information printed thereon wherein the information may be mailing information (Col. 1, lines 10-13; Col. 2, lines 18-29; Col. 3, lines 13-17). The multi-removable sheet is provided on a sheet comprising a plurality of multi-removable labels (see Fig. 1).

Finally, Stipek, Jr. disclose a label assembly comprising a face stock layer coated with pressure sensitive adhesive, the face stock being backed with a release liner, a first line of weakness pattern in the face stock layer defining a removable label, a second

International application No. PCT/US03/25584

#### Supplemental Box

(To be used when the space in any of the preceding boxes is not sufficient)

line of weakness patter within the first line of weakness pattern defining a second removable label, the first and second line of weakness patterns extending through the back stock but not the release liner, and a third line of weakness pattern in the release liner, the third line of weakness pattern being intermediate to the first and second line of weakness patterns, said third line of weakness pattern extending through the release liner but not the face stock layer (see Fig. 6; Col. 2, lines 1-10 and 30-46). The label assembly may further comprise a fourth line of weakness pattern within the first line of weakness pattern defining an additional removable label (Col. 2, lines 42-46). Given the fact that multiple lines of weakness are formable within the label substrate, at least one of the lines of weakness can serve as a fold line to facilitate separation of the labels wherein the fold line can be one of the lines of weaknesses outside the second line of weakness. The lines of weakness are die cuts (Col. 2, lines 30-46).

Claims 5 and 17 lack an inventive step over Stipek, Jr. ('483) in view of DeMatte et al. (#5,985,424).

Stipek teaches a multi-removable label as detailed above. Although Stipek teaches that the face stock sheet comprises indicia imprinted thereon or otherwise affixed to the face or front surface (Col. 2, lines 18-20), Stipek fails to teach the use of an inkiet inkreceptive coating layer on the paper face stock sheet.

DeMatte et al., however, teach the use of imprintable paper substrates comprising an additional inkjet ink-receptive coating (see Abstract). DeMatte et al. teach the use of an inkjet ink-receptive coating for the purpose of providing a substrate whose printed surface has a superior capacity for keeping the dyes in the ink on the surface with minimal spreading, tailing, or blurring, thereby providing a sharp image (see Abstract). It would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to have combined the teachings of Stipek and DeMatte et al. since each of the aforementioned references are analogous insofar as providing paper substrates with printed indicia, DeMatte et al. ultimately providing an improvement upon imprintable paper substrates by including an ink-receptive layer.

Therefore, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to have modified Stipek to include an inkjet ink-receptive layer on the paper face stock sheet as taught by DeMatte et al. in order to provide a substrate whose printed surface has a superior capacity for keeping the dyes in the ink on the surface with minimal spreading, tailing, or blurring, thereby providing a sharp image.

Claims 26-29 lack an inventive step over Stipek, Jr. ('483) in view of Rawlings (#6,170,879), GB 2 177 373 (hereinafter GB '373), or Langan (#5,686,159).

Stipek teaches a label assembly as detailed above. Stipek fails to teach the use of a piggyback label-type embodiment. It is notoriously well known in the art, however, to provide label substrates in piggyback label-type formation for the purpose of providing a label with a removable portion the ability to be adhered to a product such that the product user can remove the removable portion of the label assembly while the remainder of the label assembly remains attached to the product as evidenced by Rawlings (see Figs . 1-6), GB '373 (see Figs. 1-4), and Langan (see Figs. 1-4). With regards to lines of weakness, Langan teaches the use of lines of weakness through the entire substrate (see Figs. 5-6, #43) for the purpose of facilitating easy removal of the labels (Col. 4, lines 32-34). It would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to have combined the teachings of Stipek, Jr. with Rawlings, GB '373, or Langan ('159) since each of the aforementioned references are analogous insofar as providing label substrates with removable sub-portions, whereby each of Rawlings, GB '373, and Langan teach an improvement over Stipek in providing an additional adhesive layer via a piggyback label-type formation to facilitate application to a substrate.

Therefore, it would have been obvious to one of ordinary skill in the art at the time Applicant's invention was made to have

modified Stipek to include a piggyback label-type embodiment as taught by Rawlings, GB '373, or Langan in order to provide a label with a removable portion the ability to be adhered to a product such that the product user can remove the removable portion of the label assembly while the remainder of the label assembly remains attached to the product as evidenced by Rawlings. It would have been further obvious to modify Stipek to include lines of weaknesses in each of the label layers based on the teachings of Stipek alone since Stipek teaches that the lines of weakness facilitate removal of the removable sub-portions, or in view of the teachings of Langan, since Langan also teaches the use of lines of weakness through the entire substrate to facilitate easy removal of the labels.
NEW CITATIONS

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US03/25584

A. CLASSIFICATION OF SUBJECT MATTER					
IPC(7) : B32B 3/16; G09F 3/10					
US CL	: 428/40.1; 283/81,101				
	International Patent Classification (IPC) or to both na	tional clas	sitication and IPC		
B. FIEL	DS SEARCHED				
Minimum doc	cumentation searched (classification system followed b	y classific	ation symbols)	·.	
U.S. : 42	28/40.1, 42.3, 192, 914; 283/81,101		<del>-</del>		
		· · · · · ·		. 5.11	
Documentatio	in searched other than minimum documentation to the	extent tha	such documents are included in	n the fields searched	
Glastronia do	to here consulted during the international security	anf data h	are and where providedly see-	oh torme uead	
Electronic da	ta base consulted during the international search (name	or datit b	ase and, where practicable, sear	en terms used)	
C. DOC	UMENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with indication, where a	propriate	of the relevant passages	Relevant to claim No.	
X	US 4,032,679 (AOYAGI) 28 June 1977 (28.06.1977		F	1-3, 6-7	
	Col. 1, lines 25-56; Fig. 2.	•		1.5,0.	
x	US 3,914,483 (STIPECK, JR.) 21 October 1975 (21	.10.1975)	,	1-4, 6-11, 13-16, 18-25	
	Col. 1, line 5 to Col. 3, line 21; Fig. 1; Fig. 6.	,		<del></del>	
Y				5, 12, 17, 26-29	
			l		
Y	US 5,985,424 (DEMATTE et al.) 16 November 199	9 (16.11.1	1999),	5, 17	
	Abstract.				
Y	US 6,170,879 (RAWLINGS) 9 January 2001 (09.01	.2001),		26-29	
}	Figs. 1-6.				
Y US 5,686,159 (LANGAN) 11 November 1997 (11.11.1997),		26-29			
	Figs. 1-4.				
Y	GB 2 177 373 A (CRAIG) 21 January 1987 (21.01.1	987),		26-29	
	Figs. 1-4.			*	
ł					
[	·				
[					
ļ					
]					
	l			L	
Further	documents are listed in the continuation of Box C.		See patent family annex.		
- 3	pecial categories of ched documents:		later document published after the inte	ernational filing date or priority	
1			date and not in conflict with the applic	cation but cited to understand the	
	defining the general state of the art which is not considered to be lar relevance		principle or theory underlying the invi	ention	
1		"X"	document of particular relevance; the		
"E" earlier ap	plication or patent published on or after the international filing date		considered novel or cannot be consider when the document is taken alone	red to involve an Inventive step	
"L" document	which may throw doubts on priority claim(s) or which is cited to		when the poemical is fared stolls		
establish	the publication date of another citation or other special reason (as	"Y"	document of particular relevance; the		
specified)	•		considered to involve an inventive ste combined with one or more other such		
"O" document referring to an oral disclosure, use, exhibition or other means			being obvious to a person skilled in th		
"P" decument published prior to the international filing date but later than the "&"			document member of the same patent	family	
priority date claimed					
Date of the a	ctual completion of the international search	Date of	mailing of the international sear	ch report	
	·			•	
	2004 (17.02.2004)	ــــــــــــــــــــــــــــــــــــــ	14 API	K 2004	
3	ailing address of the ISA/US	Ruttori	od officer		
Mail Stop PCT, Attn: ISA/US  Commissioner for Patents  Harold Y. Pyon					
Commissioner for Patents P.O. Box 1450					
Ale	xandria, Virginia 22313-1450	Telepho	ne No. 571-272-1200		
Faccimila No	(703) 305-3330	I			

Facsimile No. (703) 305-3230
Form PCT/ISA/210 (second sheet) (July 1998)